PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 1 of 16 Print Date 06/10/2025

SAFETY DATA SHEET

PLHE1050 MERCURY LB WHITE

Section 1. Identification		
GHS product identifier	:	PLHE1050 MERCURY LB WHITE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO00016337
Product type	:	solid
Relevant identified uses of the subst	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025 🔆 AVIENT

Page 2 of 16 Print Date 06/10/2025

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO00016337

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 25 - <= 50	13463-67-7
Silica, amorphous	>= 1 - <= 3	7631-86-9
Diphenyloxide-4,4'-disulfohydrazide	>= 1 - <= 3	80-51-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

PLHE1050 MERCURY LB WHITE



Version Number 1.8 Revision Date 06/09/2025

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects,	acute a	and delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	attentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
San toxicological information (San	tion 1	D

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 4 of 16 Print Date 06/10/2025

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
Environmental precautions	:	See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 5 of 16 Print Date 06/10/2025

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Diphenyloxide-4,4'-disulfohydrazide	None.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker

PLHE1050 MERCURY LB WHITE



Version Number 1.8 Revision Date 06/09/2025

Page 6 of 16 Print Date 06/10/2025

Environmental exposure controls	:	exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color	solid [Paste.] WHITE
Odor	: Faint odor.
Odor threshold	: Not available.

PLHE1050 MERCURY LB WHITE



Version Number 1.8 Revision Date 06/09/2025 Page 7 of 16 Print Date 06/10/2025

Melting point:Not available.Boiling point:Not available.Flash point:Not available.Flash point:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not applicable.(flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable.:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Met of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.Partiation density:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.Partino density:Not available.Igname height:Not available.	рН	:	Not available.
Flash point:Not applicable.Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits:Not available. Evaporation! Not available.Vapor pressure Vapor density:Not available. Upper: Not applicable.Relative density Solubility Solubility in water:Not available. Upper: Not available.Partition coefficient: n- octanol/water Auto-ignition temperature SADT:Not available. Not available.Decomposition temperature SADT Viscosity:Not available. Not available.Lower in distance enclosed space ignition - Deflagration density Flame height:Not available. Not available.Ignition density Flame height:Not available. Not available.		:	
Burning time Burning rate:Not available.Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits:Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure Vapor density:Not available.Vapor density:Not available.Relative density Solubility:Not available.Solubility Solubility in water:Not available.Partition coefficient: n- octanol/water Auto-ignition temperature:Not available.SADT Viscosity:Not available.Viscosity:Not available.Aerosol product:Not available.Heat of combustion equivalent Enclosed space ignition - Deflagration density Flame height:Not available.Ignition density Flame height:Not available.		:	
Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not applicable.(flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not applicable.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable:Not available.Japicable:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable:Not available.Japition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition - Time:Not available.Enclosed space ignition	Flash point	:	Not applicable.
Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not applicable.(flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not applicable.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable:Not available.Japicable:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable:Not available.Japition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition - Time:Not available.Enclosed space ignition			
Evaporation rate Flammability (solid, gas):Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure (flammable) limits:Not available.Vapor density:Not available.Vapor density:Not available.Solubility Solubility in water:Not available.Partition coefficient: n- octanol/water Auto-ignition temperature:Not available.Decomposition temperature SADT:Not available.Viscosity:Dynamic: Not available.Meat of combustion:Not available.Ignition distance equivalent:Not available.Ignition distance equivalent:Not available.Ignition distance equivalent:Not available.Ignition distance equivalent:Not available.Deflagration density Flame height:Not available.		:	Not available.
Flammability (solid, gas) Lower and upper explosive (flammable) limits:Not available. Upper: Not applicable.Vapor pressure Vapor density:Not available. Upper: Not applicable.Relative density Solubility Solubility in water:Not available. Not available.Partition coefficient: n- octanol/water Auto-ignition temperature SADT:Not available. Not available.Decomposition temperature SADT:Not available. Not available.Viscosity:Not available. Not available.Aerosol product:Not available. Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent:Not available. Not available. Not available.Ignition distance equivalent Enclosed space ignition - Deflagration density Flame height:Not available. Not available.		:	
Lower and upper explosive (flammable) limits:Lower: Not applicable.Vapor pressure Vapor density:Not available.Relative density Solubility Solubility invotaver:Not available.Relative density Solubility Solubility invotaver:Not available.Partition coefficient: n- octanol/water Auto-ignition temperature SADT Viscosity:Not applicable.Decomposition temperature SADT Viscosity:Not available. :Not available.Aerosol product Heat of combustion Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density Flame height:Not available. :Not available insoluble:Not available. ::Not available. Supplicable:Not available. :Ignition distance Enclosed space ignition - Deflagration density Flame height:Not available. :		:	
(flammable) limitsUpper: Not applicable.Vapor pressure Vapor density:Not available. Not applicable.Relative density Solubility:Not available. Insoluble in waterSolubility Solubility in water:Not available. Insoluble in water.Partition coefficient: n- octanol/water Auto-ignition temperature:Not applicable.Decomposition temperature SADT Viscosity:Not available. Insoluble.Decomposition temperature SADT Viscosity:Not available. Insoluble.Heat of combustion Enclosed space ignition - Time equivalent Enclosed space ignition - Time is Not available.:Not available. Inflagration density Flame height:Not available. is Not available.		:	
Vapor pressure Vapor density:Not available. Not applicable.Relative density Solubility Solubility in water:Not available. Insoluble in water.Partition coefficient: n- octanol/water Auto-ignition temperature:Not available. Insoluble in water.Partition coefficient: n- octanol/water Auto-ignition temperature:Not applicable.Decomposition temperature SADT Viscosity:Not available. Image: Not available.Decomposition temperature SADT Viscosity:Not available. Image: Not available. Image: Not available. Image: Not available.Aerosol product Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time Image: Not available.:Not available. Image: Not available. Image: Not available.:Not available. Image: Not available.:Not available. Image: Not available. Image: Not available.:Not available. Image: Not available.:		:	
Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not applicable.Auto-ignition temperature:Not applicable.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable.:Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density Flame height:Not available.Viscosity:Not available.:	(flammable) limits		Upper: Not applicable.
Relative density Solubility Solubility in water:Not available. insoluble in water.Partition coefficient: n- octanol/water Auto-ignition temperature:Not applicable.Decomposition temperature SADT Viscosity:Not available. :Decomposition temperature SADT Viscosity:Not available. :Decomposition Enclosed space ignition - Time Enclosed space ignition - Deflagration density Flame height:Not available.	Vapor pressure	:	Not available.
Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not applicable.Auto-ignition temperature:Not applicable.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density Flame height:Not available.Solubility:Not available.:Not available.:Not available.Mot available.:Not available.Sate ignition density Flame height:Not available.	Vapor density	:	Not applicable.
Solubility in water:insoluble in water.Partition coefficient: n- octanol/water Auto-ignition temperature:Not applicable.Decomposition temperature:Not applicable.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density Flame height:Not available.Not available:Not available.Viscosity:Not available.	Relative density	:	Not available.
Partition coefficient: n- octanol/water Auto-ignition temperature:Not applicable.Decomposition temperature SADT Viscosity:Not available.Decomposition temperature SADT Viscosity:Not available.Decomposition temperature SADT Viscosity:Not available.Decomposition temperature SADT Viscosity:Not available.Decomposition temperature SADT Viscosity:Not available.Heat of combustion Enclosed space ignition - Time equivalent Enclosed space ignition - Time eq		:	Not available.
octanol/water Auto-ignition temperatureIDecomposition temperature SADT ViscosityNot available.Image: SADT ViscosityNot available.ViscosityDynamic: Not available. Kinematic: Not available.Aerosol productKinematic: Not applicable.Heat of combustionImage: Not available. Kinematic: Not applicable.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Image: Not available. Kinematic: Not available.Ignation density Flame heightNot available.	Solubility in water	:	insoluble in water.
Decomposition temperature SADT:Not available.SADT Viscosity:Not available.Wiscosity:Dynamic: Not available.Kinematic: Not available. Kinematic: Not applicable.Aerosol product:Heat of combustion:Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent Enclose		:	Not applicable.
SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable.:Dynamic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition - Time:Not available.Deflagration density:Not available.Flame height:Not available.	Auto-ignition temperature	:	Not applicable.
SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not applicable.Ignation distance:Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Deflagration density:Not available.Flame height:Not available.	Decomposition tomporature		Not available
Viscosity: Dynamic: Not available. Kinematic: Not applicable.Aerosol productHeat of combustion: Not available.Ignition distance: Not available.Enclosed space ignition - Time: Not available.equivalent: Not available.Enclosed space ignition - Time: Not available.Deflagration density: Not available.Flame height: Not available.			
Aerosol product Kinematic: Not applicable. Heat of combustion : Not available. Ignition distance : Not available. Enclosed space ignition - Time : Not available. equivalent : Not available. Deflagration density : Not available.	2		
Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.Deflagration density:Not available.Flame height:Not available.	VISCOSILY	•	•
Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.Deflagration density:Not available.Flame height:Not available.			
Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.Deflagration density:Not available.Flame height:Not available.	Aerosol product		
Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.Deflagration density:Not available.Flame height:Not available.	Heat of combustion	:	Not available.
equivalentEnclosed space ignition -:Not available.Deflagration densityFlame height:Not available.		:	Not available.
Enclosed space ignition -:Not available.Deflagration density:Not available.Flame height:Not available.		:	Not available.
Flame height : Not available.	Enclosed space ignition -	:	Not available.
Flame duration : Not available.			
	Flame duration	:	Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or

PLHE1050 MERCURY LB WHITE



Version Number 1.8 Revision Date 06/09/2025

Page 8 of 16 Print Date 06/10/2025

Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
Conditions to avoid		not occur. Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		-	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Benzenesulfonic acid, 4,4'-oxy	bis-, 1,1'-dihydrazide	2		
	LD50 Oral	Rat	2,300 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-

Conclusion/Summary	
Skin	: Mixture.Not fully tested.
Eyes	: Mixture.Not fully tested.
Respiratory	: Mixture.Not fully tested.
Sensitization	
Conclusion/Summary	
Skin	: Mixture.Not fully tested.
Respiratory	: Mixture.Not fully tested.
Mutagenicity	
Conclusion/Summary	: Mixture.Not fully tested.

8/16

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 9 of 16 Print Date 06/10/2025

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
Silica	-	3	-

Reproductive toxicity

Teratogenicity

Conclusion/Summary Mixture.Not fully tested. :

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available. exposure

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

SAFETY DATA SHEET

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 10 of 16 Print Date 06/10/2025

Potential immediate effects Potential delayed effects	:	Not available. Not available.
i otentiai uelayeu enectis	•	Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
Marine water		
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
_	dubia	
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
water		
	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh	Acute LC50 > 1,000 Mg/l Fish - Fundulus heteroclitus Marine water Crustaceans - Ceriodaphnia Acute LC50 3 Mg/l Fresh water Crustaceans - Ceriodaphnia Acute LC50 6.5 Mg/l Fresh Daphnia - Daphnia pulex

PLHE1050 MERCURY LB WHITE

ÀVIENT

Version Number 1.8 Revision Date 06/09/2025

Page 11 of 16 Print Date 06/10/2025

PLHE1050 MERCURY LB WH	ПТЕ
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Benzenesulfonic acid, 4,4'-oxybis-,	-	3.00	low
1,1'-dihydrazide			

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 12 of 16 Print Date 06/10/2025

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
ΙΑΤΑ	:	Not classified as dangerous goods under transport regulations.
IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations :	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide
	Poly(dimethylsiloxane)
	United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phenol
	United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed
	12/16

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 13 of 16 Print Date 06/10/2025

		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		

Not listed **DEA List II Chemicals (Essential** : **Chemicals**)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 25 - <= 50	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Benzenesulfonic acid, 4,4'- oxybis-, 1,1'-dihydrazide	>= 1 - <= 3	COMBUSTIBLE DUSTS ACUTE TOXICITY - oral - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2

Not applicable.

State regulations

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 14 of 16 Print Date 06/10/2025

Massachusetts	:	The following components are listed: Titanium dioxide Calcium carbonate Silica, amorphous
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide Ethene, chloro-, homopolymer Calcium carbonate Diphenyloxide-4,4'-disulfohydrazide Paraffins, petroleum, normal C5-20
Pennsylvania	:	The following components are listed: Titanium dioxide Calcium carbonate
		Calcium carbonate

Silica, amorphous

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
		dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	Not determined.
Canada inventory	:	Not determined.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	Not determined.

14/16

PLHE1050 MERCURY LB WHITE



Version Number 1.8 Revision Date 06/09/2025 Page 15 of 16 Print Date 06/10/2025

Viet Nam

Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	06/10/2025
Date of issue/Date of revision	:	06/09/2025
Date of previous issue	:	01/15/2025
Version	:	1.8
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

PLHE1050 MERCURY LB WHITE

Version Number 1.8 Revision Date 06/09/2025



Page 16 of 16 Print Date 06/10/2025